



**LEGEND**

- POSSIBLE DISTRIBUTION OF DEEP DNAPL BASED ON CPT CONDUCTIVITY INTERPRETATION
- CONFIRMED DNAPL LOCATION
- 83 CPT LOCATIONS

<p>CLIENT <b>ORICA AUSTRALIA PTY LIMITED</b></p> <p>PROJECT <b>ORICA BOTANY ENVIRONMENTAL SURVEY, STAGE 3 - REMEDIATION</b></p>	<p>TITLE <b>STAGE 2 SURVEY - INFERRED DNAPL DISTRIBUTION INFERRED FROM CPT CONDUCTIVITY LOGS</b></p>
<p>DESIGNED: <b>GJB</b></p> <p>DRAWN: <b>HC</b></p> <p>CHECKED:</p>	<p>APPROVED:</p> <p>DATE:</p> <p>STATUS: <b>FINAL</b></p>
<p>PROJECT: <b>46160-002-9001</b></p> <p>CAD FILE: <b>G370A</b></p> <p>REVISION: <b>A</b></p>	<p>PROJECT: <b>46160-002-9001</b></p> <p>CAD FILE: <b>G370A</b></p> <p>REVISION: <b>A</b></p>
<p>0 50 100 150 200 250 <i>Meters</i></p> <p>APPROX. SCALE</p>	
<p><b>URS</b></p>	
<p>FIGURE <b>6.4</b></p>	